



根据电机选驱动器



相数	外形尺寸	型号	步距角	电流/相	保持转矩	重量	轴径	机身长度	适配驱动器	
Phase	Dimension	Model	Step Angle (°)	Current (A/phase)	Holding Torque (N.m)	Weight (kg)	Shaft Diameter (mm)	Length L(mm)	Matching Driver	
两相	42系列	STM4233	1.8°	0.95	0.22	0.20	5.00	33	STD234M/STD245M	
		STM4238	1.8°	1.20	0.33	0.28	5.00	38		
		STM4247	1.8°	1.20	0.44	0.35	5.00	47		
		STM4260	1.8°	1.20	0.60	0.50	5.00	60		
	57系列	STM5741	1.8°	2.00	0.40	0.45	6.35	41	STD245M/STD258M	
		STM5751	1.8°	3.00	0.72	0.65	6.35	51		
		STM5756	1.8°	3.00	0.90	0.70	6.35	56		
		STM5776	1.8°	3.00	1.90	1.00	6.35	76		
		STM5784	1.8°	3.00	2.30	1.20	8.00	84		
		STM57100	1.8°	4.20	3.00	1.50	8.00	100		
	86系列	STM57112	1.8°	3.00	3.00	1.80	8.00	112	STD258M/STD268M	
		STM8665	1.8°	4.00	3.30	1.70	9.50	65		
		STM8680	1.8°	4.00	4.50	2.30	12.70	80		
		STM86118	1.8°	6.00	8.00	3.80	12.70	118		
	110系列	STM86151	1.8°	3.50	10.50	5.00	15.88	151	STD278M/STD2522M	
		STM86156	1.8°	6.00	12.00	5.30	15.88	156		
STM11099		1.8°	5.00	10.00	5.00	16.00	99			
STM110115		1.8°	6.00	12.00	6.00	16.00	115			
三相	57系列	STM110150	1.8°	6.00	20.00	8.40	16.00	150	STD2522M	
		STM110201	1.8°	8.00	35.00	11.70	16.00	201		
		STM364	1.2°	5.20	0.45	0.50	6.35	40.5		STD356M/STD368M
		STM366	1.2°	5.60	0.90	0.75	6.35	54		
		STM368	1.2°	5.80	1.50	1.10	8.00	76.4		
	STM3610	1.2°	5.80	2.00	1.57	8.00	102			
	STM3610H	1.2°	2.00	2.00	1.57	8.00	102			
	86系列	STM397	1.2°	5.80	2.00	1.80	12.00	69	STD368M	
		STM3910	1.2°	5.80	4.00	2.80	12.00	97		
		STM3913	1.2°	5.80	6.00	3.80	14.00	125		
		STM3915	1.2°	5.80	8.50	4.70	14.00	145		
		STM397H	1.2°	1.75	2.00	1.80	12.00	69		
		STM3910H	1.2°	2.00	4.00	2.80	12.00	97		
		STM3913H	1.2°	3.00	6.00	3.80	14.00	125		
	110系列	STM3915H	1.2°	3.20	8.50	4.70	14.00	145	STD3522M	
		STM31112	1.2°	4.30	8.00	5.00	19.00	127		
STM31115		1.2°	6.00	12.00	6.30	19.00	151			
STM31118		1.2°	6.40	16.00	8.50	19.00	185			
130系列	STM31122	1.2°	6.90	20.00	10.70	19.00	219	STD3722L		
	STM31318	1.2°	6.90	20.00	14.10	24.00	190			
	STM31322	1.2°	6.90	28.00	17.20	24.00	222			
	STM31325	1.2°	6.90	35.00	19.80	24.00	254			
	STM31332	1.2°	6.90	50.00	26.00	24.00	318			